



RAS | AIS

HIKVISION®

HIKVISION

08/05/2024

DRAADLOZE INBRAAKCENTRALES KIT

HIKVISION AX PRO



• AX PRO wireless kit (868MHz) including: • 1x wireless control panel 96 zones HIK-DS-PWA96-M-WE • 1x keyfob HIK-DS-PKF1-WE • 1x wireless internal PIR detector HIK-DS-PDP15P-EG2-WE • 1x wireless magnetic contact HIK-DS-PDMC-EG2-WE

HIK-DS-PWA96-KIT-WE

+0.124 € Recupel



• AX PRO wireless kit (868MHz) including: • 1x wireless control panel 64 zones HIK-DS-PWA64-L-WE • 1x wireless keyfob HIK-DS-PKF1-WE • 1x wireless internal PIR detector HIK-DS-PDP15P-EG2-WE • 1x wireless magnetic contact HIK-DS-PDMC-EG2-WE

HIK-DS-PWA64-KIT-WE

+0.124 € Recupel

HYBRIDE INBRAAKCENTRALES

HIKVISION AX PRO



• AX PRO panel with 12v 7Ah storage battery (battery is not included by default) and wired zones

HIK-DS-PWA96-M2H-WE

+0.124 € Recupel

DRAADLOZE INBRAAKCENTRALES

HIKVISION AX PRO



• AX PRO wireless control panel • 96 zones • LAN/Wi-Fi/3/4G • 868MHz

HIK-DS-PWA96-M-WE

+0.124 € Recupel



• AX PRO panel with 12v 7Ah storage battery (battery is not included by default)

HIK-DS-PWA96-M2-WE

+0.124 € Recupel



• AX PRO wireless control panel • 64 zones • LAN/Wi-Fi/GPRS • 868MHz

HIK-DS-PWA64-L-WE

+0.124 € Recupel

DRAADLOZE KEYPADS

KEYPAD LED



- Wireless LED keypad

HIK-DS-PK1-E-WE

+0.057 € Bebat +0.124 € Recupel



- Wireless LED keypad with LCD screen

HIK-DS-PK1-LT-WE

+0.057 € Bebat +0.124 € Recupel

KEYPAD LED MET GEINTEGREERD PROXIMITY



- Wireless LED keypad with LCD screen

HIK-DS-PK1-LT-WE

+0.057 € Bebat +0.124 € Recupel

TAGS-KAARTEN-BADGES-SLEUTELS

PROXIMITY TAGS



- MiFare tag

HIK-DS-PT-M1

DRAADLOZE DETECTOREN

BINNENDETECTOREN

PIR DETECTOREN



• Wireless PIR internal detector • Transmission frequency 868MHz • Transmission range 800m • Detection range: 15m 85.9° • Up to 30 kg pet immunity • Battery type: 1x CR123A

HIK-DS-PDP15P-EG2-WE

+0.057 € Bebat +0.01 € Recupel

PIR+RADAR DETECTOREN



• Wireless PIR curtain detector • Transmission frequency 868MHz • Detection range 15m 6.3° • Battery type: 1x CR123A

HIK-DS-PDC15-EG2-WE

+0.057 € Bebat +0.01 € Recupel

HUISDIER IMMUNE DETECTOREN



• Wireless dual-tech internal detector • Transmission frequency 868MHz • Transmission range 800m • Detection range: 12m 85.9° • Up to 30 kg pet immunity • Battery type: 1x CR123A

HIK-DS-PDD12P-EG2-WE

+0.057 € Bebat +0.01 € Recupel

DETECTOREN MET CAMERA



• Wireless PIR-CAM detector • Transmission frequency 868MHz • Transmission range 800m • Detection range: 15m 85.9° • Up to 30 kg pet immunity • JPEG image • Blue (alarm) LED indicator • Battery type: 3x CR123A

HIK-DS-PDPC12P-EG2-WE

+0.01 € Recupel

BUITENDETECTOREN

PIR+RADAR DETECTOREN



• Wireless dual-tech AM external curtain detector • Transmission frequency 868MHz • Detection range 10m (wall mount), 5m (ceiling mount) • IP65 • Battery type: 2x CR123A

HIK-DS-PDC10DM-EG2-WE

+0.057 € Bebat +0.01 € Recupel

ANTI-MASKEER DETECTOREN



• Wireless dual-tech AM external curtain detector • Transmission frequency 868MHz • Detection range 10m (wall mount), 5m (ceiling mount) • IP65 • Battery type: 2x CR123A

HIK-DS-PDC10DM-EG2-WE

+0.057 € Bebat +0.01 € Recupel

HUIDIER IMMUNE DETECTOREN



- Wireless external tri-tech detector

HIK-PDTT15AM-LM-WE

+0.057 € Bebat +0.01 € Recupel

DETECTOREN MET CAMERA



- Wireless RF camera module

HIK-DS-PDCM15PF-IR

+0.124 € Recupel

GLASBREUK/TRIL DETECTOREN



- Wireless break glass sensor

HIK-DS-PDBG8-EG2-WE

+0.057 € Bebat +0.01 € Recupel

BRANDDETECTOREN

OPTISCHE DETECTOREN



- Wireless photoelectric smoke detector • Buzzer = 85dB @ 3m • Transmission frequency 868MHz • Transmission range 800m • Red (alarm) LED indicator • 10 years battery life (1x CR17450 non replaceable)

HIK-DS-PDSMK-S-WE

+0.6612 € Recupel



- Wireless photoelectric smoke detector • Buzzer = 85dB @ 3m • Transmission frequency 868MHz • Transmission range 1.6km • Red (alarm) LED indicator • 10 years battery life

HIK-DS-PDSMK-E-WE

+0.6612 € Recupel

GAS/CO/WATER/TEMPERATUUR DETECTOREN

CO DETECTOREN



- Wireless temperature and humidity detector

HIK-DS-PDTPH-E-WE

+0.057 € Bebat +0.124 € Recupel

DRAADLOZE UITBREIDINGSMODULES - UITGANGSMODULES



- Relay module • 868MHz two-way wireless communication
- AES-128 encryption • LED display, show status of device and replay on/off display • Small case design • Automation operating, one button turn on/off from APP/Keyfob/Keypad
- Setting scenarios by different events • With one tamper input, can be used as zone input for alarm

HIK-DS-PM1-O1L-WE

+0.01 € Recupel



- Single input transmitter

HIK-DS-PM1-I1-WE

+0.01 € Recupel



- Multi IO transmitter • 868 MHz two-way wireless communication • LED display, show the real status of device • With 16 onboard inputs and 2 outputs, can be applied to connect wired detectors • With two 12V power outputs, can be used to power up external wired detectors
- Large space for back up storage battery

HIK-DS-PM1-I16O2-WE

+0.01 € Recupel



- Wall switch

HIK-DS-PM1-O1H-WE

+0.01 € Recupel

TRANSCEIVERS (ZENDER-ONTVANGER)

NOOD/PANIEK DRUKKNOPPEN



- Wireless emergency button

HIK-DS-PDEB1-EG2-WE

+0.057 € Bebat +0.124 € Recupel

DRAADLOZE HERHAALMODULES



- Wireless repeater

HIK-DS-PR1-WE

+0.124 € Recupel

HANDZENDER-NOODKNOP-HOLD UP

HANDZENDER



- Wireless Keyfob • Stay/away arming/disarming • Transmission frequency 868MHz • Transmission range 900m • Battery type: 1x CR2032

HIK-DS-PKF1-WE

+0.057 € Bebat +0.124 € Recupel

TOEGANGSCONTROLE

PROXIMITY LEZERS



- Wireless tag reader

HIK-DS-PT1-WE

+0.057 € Bebat +0.124 € Recupel

AUTOMATISATIE / DOMOTICA

HIKVISION



- Smart plug

HIK-DS-PSP1-WE

+0.057 € Bebat +0.124 € Recupel



- Wall switch

HIK-DS-PM1-O1H-WE

+0.01 € Recupel

DRAADLOZE MAGNEETCONTACTEN

STANDARD MAGNEETCONTACTEN

OPBOUW MAGNEETCONTACTEN



• Wireless magnetic contact • 868MHz • RF range 1200m •
Battery type: 1x CR2450

HIK-DS-PDMCS-EG2-WE

+0.057 € Bebat +0.01 € Recupel



• Wireless magnetic contact combined with shock and tilt
detection • Transmission frequency 868MHz • Battery type:
1x CR123A

HIK-DS-PDMCK-EG2-WE

+0.057 € Bebat +0.01 € Recupel



• Wireless external magnetic contact • 868MHz • RF range
1600m • IP66 • Battery type: 1x CR123A

HIK-DS-PDMCX-E-WE

+0.057 € Bebat +0.01 € Recupel



• Wireless magnetic contact • 868MHz • RF range 1600m •
Battery type: 1x CR123A

HIK-DS-PDMC-EG2-WE-BLACK

+0.057 € Bebat +0.01 € Recupel



• Wireless magnetic contact • 868MHz • RF range 1600m •
Battery type: 1x CR123A

HIK-DS-PDMC-EG2-WE-B

+0.057 € Bebat +0.01 € Recupel

DRAADLOZE SIRENES & SIGNALISATIE

BINNENSIRENES



- Wireless internal sounder • 868MHz • 1600m RF distance
- 3 kinds of alarm sounds: fire alarm, panic alarm and intrusion alarm • Buzzer decibel: 90 to 110dB • AES-128 encryption • Front and rear panel tamper-proof • Flash LED blue

HIK-DS-PS1-I-WE-BLUE

+0.01 € Recupel



- Wireless internal sounder • 868MHz • 1600m RF distance
- 3 kinds of alarm sounds: fire alarm, panic alarm and intrusion alarm • Buzzer decibel 90 to 110dB • AES-128 encryption • Front and rear panel tamper-proof • Flash LED red

HIK-DS-PS1-I-WE-RED

+0.01 € Recupel

BUITENSIRENES



- Wireless external sounder • 868MHz • 1600m RF distance • 3 kinds of alarm sounds: fire alarm, panic alarm and intrusion alarm • Buzzer decibel 90 to 110dB • AES-128 encryption • Front and rear panel tamper-proof • Flash LED orange • IP65

HIK-DS-PS1-E-WE-ORANGE

+0.01 € Recupel



- Wireless external sounder • 868MHz • 1600m RF distance • 3 kinds of alarm sounds: fire alarm, panic alarm and intrusion alarm • Buzzer decibel 90 to 110dB • AES-128 encryption • Front and rear panel tamper-proof • Flash LED blue • IP65

HIK-DS-PS1-E-WE-O-STD-BLUE



- Wireless external sounder • 868MHz • 1600m RF distance • 3 kinds of alarm sounds: fire alarm, panic alarm and intrusion alarm • Buzzer decibel 90 to 110dB • AES-128 encryption • Front and rear panel tamper-proof • Flash LED red • IP65

HIK-DS-PS1-E-WE-RED

+0.01 € Recupel

DRAADLOZE BUITENSIRENES



- Wireless external sounder • 868MHz • 1600m RF distance • 3 kinds of alarm sounds: fire alarm, panic alarm and intrusion alarm • Buzzer decibel 90 to 110dB • AES-128 encryption • Front and rear panel tamper-proof • Flash LED red • IP65

HIK-DS-PS1-E-WE-RED

+0.01 € Recupel



- Wireless external sounder • 868MHz • 1600m RF distance • 3 kinds of alarm sounds: fire alarm, panic alarm and intrusion alarm • Buzzer decibel 90 to 110dB • AES-128 encryption • Front and rear panel tamper-proof • Flash LED blue • IP65

HIK-DS-PS1-E-WE-O-STD-BLUE



- Wireless external sounder • 868MHz • 1600m RF distance • 3 kinds of alarm sounds: fire alarm, panic alarm and intrusion alarm • Buzzer decibel 90 to 110dB • AES-128 encryption • Front and rear panel tamper-proof • Flash LED orange • IP65

HIK-DS-PS1-E-WE-ORANGE

+0.01 € Recupel

ALGEMENE VERKOOPSVOORWAARDEN

1. De volgende voorwaarden worden bij bestelling als onherroepelijk aanvaard. Andersluidende voorwaarden, uitgaande van de koper, worden als niet- bestaande beschouwd, behoudens schriftelijke instemming van de verkoper.
2. Indien de factuur, op verzoek van de besteller, op naam van een derde wordt uitgeschreven, dan blijft de besteller hoofdelijk en solidair met de derde gehouden ten opzichte van de verkoper, tot naleving van alle verbintenissen voortvloeiend uit deze algemene verkoopvoorwaarden.
3. Offertes en prijslijsten worden enkel als inlichting gegeven, maar kunnen nooit enige verbintenis meebrengen. De opgegeven prijzen zijn deze voor goederen afgehaald in onze magazijnen. Behoudens andersluidende bepalingen reizen de goederen op kosten en risico van de koper, welke ook het vervoermiddel weze.
4. Bestellingen met leveringstermijn van meer dan een maand worden slechts definitief na schriftelijke bevestiging en ondertekening door een gevolmachtigd lid van onze firma. Onze instelling draagt geen verantwoordelijkheid voor de stipte uitvoering van de haar toevertrouwde bestelling in gevallen van heikracht zoals staking, lock-out, enz... De prijzen van de bestellingen worden aanvaard onder voorbehoud van alle gevallen van overmacht met inbegrip van abnormale prijsverhogingen, ons door de leveranciers opgelegd. In die gevallen zullen de bestellingen gefactureerd worden tegen de voorwaarden van de geldende prijslijst op het ogenblik van de levering, onafgezien de prijs waarvoor ze werden bevestigd of welke ook onze leveringstermijn moge zijn.
5. Iedere opgegeven leveringstermijn is slechts benaderend en de overschrijding ervan kan in geen geval aanleiding geven tot vernietiging van de bestelbon of tot schadevergoeding.
6. Klachten nopens de geleverde koopwaar moeten ons, om ontvankelijk te kunnen zijn, binnen de drie dagen na levering schriftelijk bekend gemaakt worden met verwijzing naar het nummer van de leveringsbons. Geen enkele terugname van goederen zal aanvaard worden zonder voorafgaand akkoord van onzentwege. Daarenboven kunnen zij slechts teruggenomen worden zo de terugzending geschiedt in goede staat en in de oorspronkelijke verpakking. Eventuele teruggenomen goederen worden gecrediteerd met een vermindering van 30 % van de gefactureerde waarde.
7. Gezien onze functie van tussenpersoon beperkt de waarborg op de door ons geleverde goederen zich tot deze die ons werd toegekend door de fabrikant. Deze waarborg beperkt zich in elk geval tot de eenvoudige omwisseling van de stukken die fabricagefouten vertonen; geen enkele terugbetaling, vergoeding of schadeloosstelling zullen ons kunnen in rekening gebracht worden om welke reden ook. Het indienen van een klacht kan in geen geval uitstel of opschorting van betaling meebrengen.
8. In geval van vervanging van een toestel, om welke reden dan ook, is de verkoper niet verantwoordelijk voor de kosten of schade, veroorzaakt door het weghalen van het oude toestel. De verkoper is niet verantwoordelijk voor beschadiging aan toestellen tijdens hun verblijf op werven of gedurende de plaatsing door de installateur.
9. De aflevering geschiedt vóór de bouwplaats of de woning
10. De betaling dient contant te gebeuren bij levering, tenzij voorafgaandelijk en schriftelijk anders werd overeengekomen. Bij aflevering dient te worden betaald aan de afleverende vrachtwagenbestuurder. Bij afhaling dient te worden betaald aan de kas van het verkooppunt.
11. Onvolledige levering van een bestelling mag geen aanleiding geven tot weigering van betaling van de geleverde goederen. Gedeeltelijke factuur mag worden gemaakt naargelang de levering der goederen. De betaling van de facturen mag in geen geval afhankelijk gesteld worden van de werking of plaatsing van de toestellen.
12. Bij onverantwoorde niet-betaling op de vervaldag, en zonder ingebrekestelling, loopt een verwijsrente gelijk aan de wettelijke intrest +2%. Ingeval van gehele of gedeeltelijke niet betaling van de schuld op de vervaldag der factuur zonder ernstige redenen, wordt, na vergeefse ingebrekestelling, het schuldsaldo verhoogd met 15 %, met een minimum van € 50,00 en een maximum van € 1900,00 zelfs bij toekenning van termijnen van respijt.
13. De niet-betaling op haar vervaldag van een factuur maakt het verschuldigde saldo van alle, andere facturen van rechtswege onmiddellijk opeisbaar, onafgezien van de bij voorbaat toegestane betalingsvoorwaarden.
14. Wanneer de koper nalaat zijn verbintenissen uit te voeren, zal de verkoop van rechtswege en zonder ingebrekestelling ontbonden zijn. De wilsuiting hiertoe per aangetekend schrijven door de verkoper zal hiervoor volstaan. Indien de kredietwaardigheid van de koper verslechtert, behouden wij ons het recht voor, zelfs na gedeeltelijke verzending der goederen, van de koper de geschikte waarborgen voor de goede uitvoering der genomen verbintenissen te eisen. Indien de koper ons geen voldoening schenkt, hebben wij het recht de bestelling geheel of gedeeltelijk te annuleren.
15. Klachten over facturen worden enkel aanvaard wanneer ze schriftelijk binnen de tien dagen na ontvangst der factuur worden gemeld,
16. Onverminderd het risico van de koper met betrekking tot de goederen, behouden wij ons het eigendomsrecht op de geleverde goederen voor tot volledige betaling van de prijs. De betaalde voorschotten blijven de verkoper verworven ter vergoeding van de mogelijke verliezen bij wederverkoop.
17. De verkoper laat zich niet in, noch rechtstreeks noch onrechtstreeks, met het plaatsen van toestellen. Hij

INHOUDSTAFEL

AX PRO	2
DRAADLOZE INBRAAKCENTRALES KIT	2
HYBRIDE INBRAAKCENTRALES	2
DRAADLOZE INBRAAKCENTRALES	2
DRAADLOZE KEYPADS	3
TAGS-KAARTEN-BADGES-SLEUTELS	3
DRAADLOZE DETECTOREN	4
DRAADLOZE UITBREIDINGSMODULES - UITGANGSMODULES	6
TRANSCEIVERS (ZENDER-ONTVANGER)	6
HANDZENDER-NOODKNOP-HOLD UP	7
TOEGANGSCONTROLE	7
AUTOMATISATIE / DOMOTICA	7
DRAADLOZE MAGNEETCONTACTEN	8
DRAADLOZE SIRENES & SIGNALISATIE	9



Brugsesteenweg, 257
B-8500 Kortrijk

T +32 56 36 37 40
F +32 56 36 08 12

ras.contact@rassecurity.com



Rue de Namur, 101
B-6041 Gosselies

T +32 71 85 13 13



Langvoort, 53
B-2430 Laakdal

T +32 14 14 10 61
F +32 14 36 83 70



Doenaertstraat, 26
B-8510 Marke

RAS bv - srl
member of ALIA Security

www.rassecurity.com